



**GREWIN INDUSTRIAL GROUP CO.,LTD.**

**TEL/WhatsApp: +86 18622096679**

**Mail: admin@coilwindingmachinechina.com**

**Web:www.coilwindingmachinechina.com**



WhatsApp



WeChat

# **GWTM-025S**

## **Automatic Common Mode Winding Machine**

**Detailed Supplied Equipment list and Specifications**




**GREWIN INDUSTRIAL GROUP CO.,LTD.**

**Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.**



## Induction



1. Spool placement position (two axes)
2. Vibrating plate (magnetic ring can be placed)
3. Wire feeding mechanism: two sets of wires are sent at the same time
4. The working part of the machine: reclaiming clamp, loading clamp, magnetic winding line, unloading clamp
5. Discharge bin: finished product
6. Display screen: software debugging, working interface display
7. Machine switch button: power switch, pause, emergency stop, alarm
8. Belt line (automatic conveying magnetic ring)



**GREWIN INDUSTRIAL GROUP CO.,LTD.**

**TEL/WhatsApp: +86 18622096679**

**Mail: admin@coilwindingmachinechina.com**

**Web:www.coilwindingmachinechina.com**



WhatsApp



WeChat

## Specifications:

NO	Pproject	Parameter
1	Model	GWTM-025S
2	Adapt to the magnetic ring (OD)	14mm-45mm
3	Wire diameter	0.5mm-2.0mm
4	Line length	1200mm
5	Winding speed	Depends on wire diameter and winding turns
6	Application winding method	Conventional winding
7	Supply	220V/50HZ Single phase AC
8	Air supply	0.55Mpa-0.60Mpa
9	Noise	60 db
10	Power	3KW
11	Energy consumption	0.55°/hour
12	Environment	-5°C~40°C
13	Relative humidity	(40-90) %RH
14	Overall pass rate	99.5%
15	Size	1750mm(Including the belt line)*1150mm*1900mm
16	Weight	400kgs

**GREWIN INDUSTRIAL GROUP CO.,LTD.**

**Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.**